

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	liao-qun-feng.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/11/16 13:22
L60	1	liao-qun-feng.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/11/16 13:22
L59	20	hong-zhou.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/11/16 13:22
S2	17	hong-zhou.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/11/16 13:21
L57	1	345/630.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) same (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT	OR	ON	2006/11/16 13:06
L54	3	382/284.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) same (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:06
L53	4	382/293.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) same (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:06
L52	1	382/293.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:06
L58	0	345/630.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) same (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:05
L56	0	382/284.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) same (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT	OR	ON	2006/11/16 13:05

EAST Search History

L55	0	382/293.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) same (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT	OR	ON	2006/11/16 13:05
L50	0	382/293.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT	OR	ON	2006/11/16 13:05
L49	0	382/284.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT	OR	ON	2006/11/16 13:05
L51	0	382/284.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:04
L42	0	345/630.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:04
L41	0	345/630.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT	OR	ON	2006/11/16 13:04
L48	0	382/293.ccls. and ((exchang\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:03
L47	0	382/284.ccls. and ((exchang\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:03
L46	0	382/293.ccls. and ((invert\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:03
L45	0	382/284.ccls. and ((invert\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:03
L44	375	382/293.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:03

EAST Search History

L43	831	382/284.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:03
L40	0	345/630.ccls. and ((exchang\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:03
L39	0	345/630.ccls. and ((invert\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:03
L38	209	345/630.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:01
L24	0	345/582.ccls. and ((exchang\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:01
L23	0	345/582.ccls. and ((invert\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:01
L22	9	345/582.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 13:01
L21	5	345/582.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT	OR	ON	2006/11/16 13:01
L37	5	((face adj map\$4) or (cub\$3 adj map\$4) or (environment\$2 adj map\$4)) and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) same (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:54
L36	25	((face adj map\$4) or (cub\$3 adj map\$4) or (environment\$2 adj map\$4)) and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) same (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:47

EAST Search History

S14	9	345/582.ccls. and (face adj map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:46
L32	1	345/587.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:45
L35	0	345/608.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT	OR	ON	2006/11/16 12:44
L34	0	345/587.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT	OR	ON	2006/11/16 12:44
L33	0	345/608.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:44
S31	8	345/608.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:43
L31	9	345/608.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:43
L30	122	345/587.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/11/16 12:43
S16	110	345/587.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/11/16 12:42
L29	0	L2 and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:42

EAST Search History

L13	1147	((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:42
L28	1	345/606.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:41
L27	1	345/606.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT	OR	ON	2006/11/16 12:41
L26	0	345/606.ccls. and ((exchang\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:40
L25	0	345/606.ccls. and ((invert\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:40
L18	0	345/419.ccls. and ((exchang\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:37
L17	0	345/419.ccls. and ((invert\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:37
L14	4	345/419.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:37
L5	0	345/419.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT	OR	ON	2006/11/16 12:37
L20	0	345/420.ccls. and ((invert\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:22

EAST Search History

L19	0	345/420.ccls. and ((exchang\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:22
L15	2	345/420.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (u and v and (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:21
L10	0	((invert\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:21
L12	13486	((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (u and v))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:20
L11	2	((exchang\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:19
L9	24	((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:19
L8	0	345/419.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:10
L7	0	345/420.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/16 12:09
L6	0	345/420.ccls. and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/11/16 12:09
L4	0	L2 and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near12 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT	OR	ON	2006/11/16 12:09
L3	0	L2 and ((chang\$3 or swap\$4 or flip\$4 or switch\$3) near7 (textur\$3 near3 (axis or axes)))	US-PGPUB; USPAT	OR	ON	2006/11/16 12:08

EAST Search History

L2	8	(US-20020126129-\$ or US-20030164830-\$).did. or (US-6975319-\$ or US-6664963-\$ or US-6756990-\$ or US-6542154-\$ or US-6765584-\$ or US-6034691-\$). did.	US-PGPUB; USPAT	OR	OFF	2006/11/16 12:07
----	---	--	--------------------	----	-----	------------------

RESULT LIST

8 results found in the Worldwide database for:

change AND texture AND coordinates AND map in the title or abstract
(Results are sorted by date of upload in database)

- 1 Method and apparatus for computing a computer graphics image of a textured surface**
Inventor: VAN OVERVELD CORNELIS W A M (NL) Applicant: KONINKL PHILIPS ELECTRONICS NV (NL)
EC: G06T15/20A IPC: **G06T15/00; G06T15/20; G06T15/00** (+2)
Publication info: **US6614446** - 2003-09-02
- 2 MAP INFORMATION UPDATING METHOD AND MAP UPDATING DEVICE**
Inventor: OGAWA YUKIO; IWAMURA KAZUAKI; (+1) Applicant: HITACHI LTD
EC: IPC: **G09B29/00; G06T1/00; G06T7/60** (+8)
Publication info: **JP2000310940** - 2000-11-07
- 3 SYSTEM AND METHOD OF SELECTING LEVEL OF DETAIL IN TEXTURE MAPPING**
Inventor: MALAMY ADAM; BAKER NICHOLAS R; (+2) Applicant: WEBTV NETWORKS INC (US)
EC: G06T15/20A IPC: **G06T15/20; G06T15/10; (IPC1-7): G06T11/40**
Publication info: **WO9952076** - 1999-10-14
- 4 Method and apparatus for geometric compression of three-dimensional graphics**
Inventor: DEERING MICHAEL F (US) Applicant: SUN MICROSYSTEMS INC (US)
EC: G06T9/00F IPC: **G06T9/00; G06T9/00; (IPC1-7): G06T9/00**
Publication info: **EP0889440** - 1999-01-07
- 5 Compression of three-dimensional geometry data representing a regularly tiled surface portion of a graphical object**
Inventor: DEERING MICHAEL F (US) Applicant: SUN MICROSYSTEMS INC (US)
EC: G06T9/00F IPC: **G06T9/00; G06T9/00; (IPC1-7): G06F15/00**
Publication info: **US6215500** - 2001-04-10
- 6 Method and system for filtering texture map data for improved image quality in a graphics computer system**
Inventor: DEVIC GORAN (US); SHAW CHRISTOPHER W Applicant: CIRRUS LOGIC INC (US)
(US)
EC: G06T11/40 IPC: **G06T11/40; G06T11/40; (IPC1-7): G06T11/40**
Publication info: **US6184893** - 2001-02-06
- 7 METHOD FOR COMPUTING TEXTURE MAPPING PARAMETERS**
Inventor: EINKAUF MARK A; LARSON MICHAEL K Applicant: CIRRUS LOGIC INC (US)
EC: G06T15/20A IPC: **G06T15/20; G06T15/10; (IPC1-7): G06T15/10**
Publication info: **WO9829837** - 1998-07-09
- 8 Image processing apparatus and method**
Inventor: SHINOHARA MIKIO (JP) Applicant: SEGA ENTERPRISES KK (JP)
EC: G06T15/50D IPC: **G09G5/36; G06T15/00; G06T15/50** (+4)
Publication info: **US5877769** - 1999-03-02

Data supplied from the **esp@cenet** database - Worldwide

Searching PAJ

MENU **NEWS** **HELP**

Search Results : 4

Index Indication

Clear

Text Search

If you want to conduct a Number Search, please click on the button to the right.

Number Search

Applicant, Title of invention, Abstract --- e.g. computer semiconductor

If you use the AND/OR operation, please leave a SPACE between keywords.

One letter word or **Stopwords** are not searchable.

change swap flip switch

OR

AND

texture map

AND

AND

axis axes

OR

AND

Date of publication of application --- e.g. 19980401 - 19980405

AND

IPC --- e.g. D01B7/04 A01C11/02

If you use the OR operation, please leave a SPACE between keywords.



Search

Stored data

No. Publication No.

Title

1. 2002 - 251629 METHOD FOR EXPRESSING IMAGE AND PROGRAM USED FOR THE SAME
2. 2002 - 092636 WATER SURFACE IMAGE FORMING METHOD, COMPUTER-READABLE STORAGE MEDIUM FOR REALIZING IT, AND GAME SYSTEM
3. 2002 - 032790 GAME SYSTEM AND INFORMATION STORAGE MEDIUM
4. 2000 - 020736 PLOTTING DEVICE AND METHOD THEREFOR

RESULT LIST

0 results found in the Worldwide database for:

axis AND texture AND switch AND coordinate in the title or abstract

(Results are sorted by date of upload in database)

Data supplied from the *esp@cenet* database - Worldwide

RESULT LIST

3 results found in the Worldwide database for:

axis AND texture AND change AND coordinate in the title or abstract

(Results are sorted by date of upload in database)

1 WATER SURFACE IMAGE FORMING METHOD, COMPUTER-READABLE STORAGE MEDIUM FOR REALIZING IT, AND GAME SYSTEM

Inventor: SATO RYOHEI

Applicant: KONAMI CO LTD

EC:

IPC: **A63F13/00; G06T15/00; G06T15/70** (+6)

Publication info: **JP2002092636** - 2002-03-29

2 GAME DEVICE AND INFORMATION STORAGE MEDIUM

Inventor: KANAKUBO TETSUYA; NAGASE JUN

Applicant: NAMCO LTD

EC:

IPC: **A63F13/00; A63F13/00**; (IPC1-7): A63F13/00

Publication info: **JP2000167237** - 2000-06-20

3 PLOTTING DEVICE AND METHOD THEREFOR

Inventor: FUJISHIMA HIDEYUKI

Applicant: MATSUSHITA ELECTRIC IND CO LTD

EC:

IPC: **H04N1/387; G06T11/00; G06T11/20** (+5)

Publication info: **JP2000020736** - 2000-01-21

Data supplied from the *esp@cenet* database - Worldwide

Terms used **texture cube**
map coordinate axis switch change flip swap


Found 26 of 192,172

Sort results
by

relevance

Display
results

expanded form

 [Save results to a Binder](#)
 [Search Tips](#)
☐ Open results in a new window

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 20 of 26

Result page: [1](#) [2](#) [next](#)

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Real-time volume graphics](#)



Klaus Engel, Markus Hadwiger, Joe M. Kniss, Aaron E. Lefohn, Christof Rezk Salama, Daniel Weiskopf

August 2004 **ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04**

Publisher: ACM Press

Full text available:  pdf(7.63 MB) Additional Information: [full citation](#), [abstract](#)

The tremendous evolution of programmable graphics hardware has made high-quality real-time volume graphics a reality. In addition to the traditional application of rendering volume data in scientific visualization, the interest in applying these techniques for real-time rendering of atmospheric phenomena and participating media such as fire, smoke, and clouds is growing rapidly. This course covers both applications in scientific visualization, e.g., medical volume data, and real-time rendering, ...


2 [Real-time shading](#)



Marc Olano, Kurt Akeley, John C. Hart, Wolfgang Heidrich, Michael McCool, Jason L. Mitchell, Randi Rost

August 2004 **ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04**

Publisher: ACM Press

Full text available:  pdf(7.39 MB) Additional Information: [full citation](#), [abstract](#)

Real-time procedural shading was once seen as a distant dream. When the first version of this course was offered four years ago, real-time shading was possible, but only with one-of-a-kind hardware or by combining the effects of tens to hundreds of rendering passes. Today, almost every new computer comes with graphics hardware capable of interactively executing shaders of thousands to tens of thousands of instructions. This course has been redesigned to address today's real-time shading capabilities ...


3 [Courses: Advanced real-time rendering in 3D graphics and games](#)



Natalya Tatarchuk, Chris Oat, Pedro V. Sander, Jason L. Mitchell, Carsten Wenzel, Alex Evans

July 2006 **Material presented at the ACM SIGGRAPH 2006 conference SIGGRAPH '06**

Publisher: ACM Press

Full text available:  pdf(7.95 MB) Additional Information: [full citation](#), [abstract](#)

The amazing power of the latest GPUs has spurred a real osmosis of ideas between the game developers and state-of-the-art graphics research. This course presents innovative real-time algorithms from award-winning game engines and ground-breaking 3D rendering that are pushing the visual boundaries and interactive experience of complex virtual worlds. The techniques are applicable in real-time and offline domains. Attendees will learn several innovative highly optimized algorithms in various areas ...

4 [Session F2: VR modeling: geometry and texture: Double projective cylindrical texture mapping on FPGA](#)



Xiaoying Li, Baoquan Liu, Enhua Wu

Publisher: ACM Press

Full text available:  [pdf\(329.36 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Image-based modeling and rendering (IBMR) techniques have been used to construct three-dimensional virtual scenes applied for VR applications by warping several two-dimensional images with depth information. In this paper, a novel approach of IBMR with depth information called double projective cylindrical texture mapping method (DPCM) is presented and implemented on an FPGA hardware platform. By the approach, based on a virtual double projective cylindrical camera model, the rendered scene is f ...

Keywords: FPGA, depth image, graphics hardware, image warping, image-based rendering


5 Discrete conformal mappings via circle patterns



Liliya Kharevych, Boris Springborn, Peter Schröder

April 2006 **ACM Transactions on Graphics (TOG)**, Volume 25 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(1.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We introduce a novel method for the construction of discrete conformal mappings from surface meshes of arbitrary topology to the plane. Our approach is based on *circle patterns*, that is, arrangements of circles---one for each face---with prescribed intersection angles. Given these angles, the circle radii follow as the unique minimizer of a convex energy. The method supports very flexible boundary conditions ranging from free boundaries to control of the boundary shape via prescribed curve ...

Keywords: Conformal parameterizations, circle patterns, discrete analytic functions, discrete differential geometry, meshing, texture mapping


6 Courses: Spatial augmented reality



Oliver Bimber, Ramesh Raskar

July 2006 **Material presented at the ACM SIGGRAPH 2006 conference SIGGRAPH '06**

Publisher: ACM Press

Full text available:  [pdf\(22.57 MB\)](#) Additional Information: [full citation](#), [abstract](#)

A survey of the latest techniques for augmented reality, which go beyond conventional head-mounted displays. The tutorial introduces prototypes, explains rendering and calibration algorithms, discusses case studies, and presents practical experience. Attendees learn about new applications enabled by current augmented-reality techniques that combine the real and virtual worlds in art, science, education, and industry.


7 High dynamic range imaging



Paul Debevec, Erik Reinhard, Greg Ward, Sumanta Pattanaik

August 2004 **ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04**

Publisher: ACM Press

Full text available:  [pdf\(20.22 MB\)](#) Additional Information: [full citation](#), [abstract](#)

Current display devices can display only a limited range of contrast and colors, which is one of the main reasons that most image acquisition, processing, and display techniques use no more than eight bits per color channel. This course outlines recent advances in high-dynamic-range imaging, from capture to display, that remove this restriction, thereby enabling images to represent the color gamut and dynamic range of the original scene rather than the limited subspace imposed by current monitor ...

8 Courses: High-dynamic-range imaging: theory and applications



Paul Debevec, Erik Reinhard

July 2006 **Material presented at the ACM SIGGRAPH 2006 conference SIGGRAPH '06**

Publisher: ACM Press

Full text available:  [pdf\(15.18 MB\)](#) Additional Information: [full citation](#), [abstract](#)

New techniques in capturing, representing, processing, and displaying high-dynamic-range (HDR) images. HDR imagery represents the full range of light in the real world, which enables marked improvements in visual fidelity and photorealism. Application areas include lighting, compositing, film, game design, and display hardware.

9 HDR and systems: The Direct3D 10 system



David Blythe

July 2006 **ACM Transactions on Graphics (TOG)**, Volume 25 Issue 3

Publisher: ACM Press

Full text available: pdf(377.38 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present a system architecture for the 4th generation of PC-class programmable graphics processing units (GPUs). The new pipeline features significant additions and changes to the prior generation pipeline including a new programmable stage capable of generating additional primitives and streaming primitive data to memory, an expanded, common feature set for all of the programmable stages, generalizations to vertex and image memory resources, and new storage formats. We also describ ...

Keywords: graphics systems, programmable graphics hardware, programmable shading

10 Volume rendering: VIZARD II: a reconfigurable interactive volume rendering system

M. Meißner, U. Kanus, G. Wetekam, J. Hirche, A. Ehlert, W. Straßer, M. Doggett, P. Forthmann, R. Proksa

September 2002 **Proceedings of the ACM SIGGRAPH/EUROGRAPHICS conference on Graphics hardware**

Publisher: Eurographics Association

Full text available: pdf(767.44 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

This paper presents a reconfigurable, hardware accelerated, volume rendering system for high quality perspective ray casting. The volume rendering accelerator performs ray casting by calculating the path of the ray through the volume using a programmable Xilinx Virtex FPGA which provides fast design changes and low cost development. Volume datasets are stored on the card in low profile DIMMs with standard connectors allowing both, large datasets up to 1 GByte with 32 bit per voxel, and easy upgr ...

11 Volume rendering II: Shear-Warp deluxe: the Shear-Warp algorithm revisited

Jon Sweeney, Klaus Mueller

May 2002 **Proceedings of the symposium on Data Visualisation 2002 VISSYM '02**

Publisher: Eurographics Association

Full text available: pdf(889.04 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#)

Despite continued advances in volume rendering technology, the Shear-Warp algorithm, although conceived as early as 1994, still remains the world's fastest purely software-based volume rendering algorithm. The impressive speed of near double-digit framerates for moderately sized datasets, however, does come at the price of reduced image quality and memory consumption. In this paper, we present the implementation and impact of certain measures that seek to address these shortcomings. Specifically ...

12 Courses: Physically based reflectance for games



Nathaniel Hoffman

July 2006 **Material presented at the ACM SIGGRAPH 2006 conference SIGGRAPH '06**

Publisher: ACM Press

Full text available: pdf(8.27 MB) Additional Information: [full citation](#), [abstract](#)

How to use the physical principles of reflectance to increase game realism while acknowledging real-world production issues such as performance and ease of content creation. In this course, game developers learn how to incorporate realistic reflectance in their games, and graphics researchers learn how to evaluate the applicability of their research to game development.

13

Parameterized environment maps



Keywords: Fresnel modulation, IBR, parameterized texture maps, ray tracing, reflections, surface light fields

14 Courses: Digital modeling of the appearance of materials



Holly Rushmeier

July 2006 **Material presented at the ACM SIGGRAPH 2006 conference SIGGRAPH '06**

Publisher: ACM Press

Full text available: pdf(7.33 MB) Additional Information: [full citation](#), [abstract](#)

Realistic computer graphics rendering requires modeling the appearance of physical materials. This course covers the range of techniques for specifying materials, including classifying physical materials by observation, basic mathematical representation, modeling material appearance change over time, and integrating material models into rendering systems.

15 Graphics is fun: Graphics gems revisited: fast and physically-based rendering of gemstones



Stephane Guy, Cyril Soler

August 2004 **ACM Transactions on Graphics (TOG)**, Volume 23 Issue 3

Publisher: ACM Press

Full text available: pdf(2.08 MB) mov(23:7 MIN) Additional Information: [full citation](#), [abstract](#), [references](#)

We present an algorithm for rendering faceted colored gemstones in real time, using graphics hardware. Beyond the technical challenge of handling the complex behavior of light in such objects, a real time high quality rendering of gemstones has direct applications in the field of jewelry prototyping, which has now become a standard practice for replacing tedious (and less interactive) wax carving methods. Our solution is based on a number of controlled approximations of the physical phenomena in ...

Keywords: Crystal optics, Hardware-based rendering, real time

16 4-1 Rendering: Real-time bump mapped texture shading based-on hardware acceleration



Jiening Wang, Jizhou Sun

June 2004 **Proceedings of the 2004 ACM SIGGRAPH international conference on Virtual Reality continuum and its applications in industry**

Publisher: ACM Press

Full text available: pdf(242.19 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

It would be more convinced if we can provide more realistic visual effects in a VR system. Bump mapping can simulate a surface bumpy appearance without any overload of increasing extra polygons. Techniques of programmable per-vertex shader and per-pixel shader have been introduced in recent years based on newly developed graphics hardware armed with powerful GPU. This makes ease in realizing real-time bump mapping and complex lighting computation. Firstly, the mathematics of bump mapping is disc ...

Keywords: GPU, OpenGL, bump mapping, per-pixel lighting, real-time rendering, register combiner

17 Reflection space image based rendering



Brian Cabral, Marc Olano, Philip Nemec

July 1999 **Proceedings of the 26th annual conference on Computer graphics and interactive techniques**

Keywords: image based rendering, interactive rendering and shading, reflection mapping, texture mapping

18 Towards interactive bump mapping with anisotropic shift-variant BRDFs



Jan Kautz, Hans-Peter Seidel

August 2000 **Proceedings of the ACM SIGGRAPH/EUROGRAPHICS workshop on Graphics hardware**

Publisher: ACM Press

Full text available:  [pdf\(3.98 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this paper a technique is presented that combines interactive hardware accelerated bump mapping with shift-variant anisotropic reflectance models. An evolutionary path is shown how some simpler reflectance models can be rendered at interactive rates on current low-end graphics hardware, and how features from future graphics hardware can be exploited for more complex models. We show how our method can be applied to some well known reflectance models, namely the Banks model, War ...

19 Real-time rendering: Real-time reflection on moving vehicles in urban environments



Alexandre Meyer, Céline Loscos

October 2003 **Proceedings of the ACM symposium on Virtual reality software and technology**

Publisher: ACM Press

Full text available:  [pdf\(500.57 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In the context of virtual reality, the simulation of complex environments with many animated objects is becoming more and more common. Virtual reality applications have always promoted the development of new efficient algorithms and image-based rendering techniques for real-time interaction. In this paper, we propose a technique which allows the real-time simulation in a city of the reflections of static geometry (eg. building) on specular dynamic objects (vehicles). For this, we introduc ...

Keywords: environment maps, image-based rendering, ray tracing, real-time rendering

20 Frequency space environment map rendering



Ravi Ramamoorthi, Pat Hanrahan

July 2002 **ACM Transactions on Graphics (TOG) , Proceedings of the 29th annual conference on Computer graphics and interactive techniques SIGGRAPH '02**, Volume 21 Issue 3

Publisher: ACM Press

Full text available:  [pdf\(3.37 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We present a new method for real-time rendering of objects with complex isotropic BRDFs under distant natural illumination, as specified by an environment map. Our approach is based on spherical frequency space analysis and includes three main contributions. Firstly, we are able to theoretically analyze required sampling rates and resolutions, which have traditionally been determined in an ad-hoc manner. We also introduce a new compact representation, which we call a *spherical harmonic reflec* ...

Keywords: complexity analysis, environment maps, image-based rendering, signal-processing, spherical harmonics

Nothing Found

Your search for **+"swap texture axes"** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

museum +art

- Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:



[Adobe Acrobat](#)



[QuickTime](#)



[Windows Media Player](#)



[Real Player](#)

Nothing Found

Your search for **+"swap texture axis"** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art.

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)

 [QuickTime](#)

 [Windows Media Player](#)

 [Real Player](#)

Nothing Found

Your search for **+"switching the texture axes"** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:



[Adobe Acrobat](#)



[QuickTime](#)



[Windows Media Player](#)



[Real Player](#)

Search Results

BROWSE

SEARCH



IEEE XPLORE GUIDE

SUPPORT

Results for "(((switch <or> swap <or> flip <or> change) <and> (texture <and> (axis ..."

Your search matched 36 of 1431298 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

 e-mail  printer friendly

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((switch <or> swap <or> flip <or> change) <and> (texture <and> (axis <or> axes))))<input type="button" value="Search" />

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

 [view selected items](#) [Select All](#) [Deselect All](#)

1-25 | [26-36](#)

- ☐ 1. **Anisotropy Field Distribution measurements for thin film media**
Papuso, C.; Suzuki, T.;
[Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers. 2002 IEEE International](#)
28 April-2 May 2002 Page(s):FP5
Digital Object Identifier 10.1109/INTMAG.2002.1001300
[AbstractPlus](#) | Full Text: [PDF\(229 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Investigation of structural changes in PVDF by modified X-ray texture methods**
Geiss, D.; Hofmann, D.;
[Electrical Insulation, IEEE Transactions on \[see also Dielectrics and Electrical Insulation, IEEE Transactions on\]](#)
Volume 24, Issue 6, Dec. 1989 Page(s):1177 - 1182
Digital Object Identifier 10.1109/14.46352
[AbstractPlus](#) | Full Text: [PDF\(432 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Changes in crystal texture of barium ferrite upon sintering**
Stablein, H.; Willbrand, J.;
[Magnetics, IEEE Transactions on](#)
Volume 2, Issue 3, Sep 1966 Page(s):459 - 463
[AbstractPlus](#) | Full Text: [PDF\(624 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **Structure of melt-spun Fe-Ga-based magnetostrictive alloys**
Cheng, S.F.; Das, B.N.; Wun-Fogle, M.; Lubitz, P.; Clark, A.E.;
[Magnetics, IEEE Transactions on](#)
Volume 38, Issue 5, Part 1, Sept. 2002 Page(s):2838 - 2840
Digital Object Identifier 10.1109/TMAG.2002.802470
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(212 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **Prototyping and transforming facial textures for perception research**
Tiddeman, B.; Burt, M.; Perrett, D.;
[Computer Graphics and Applications, IEEE](#)
Volume 21, Issue 5, July-Aug. 2001 Page(s):42 - 50
Digital Object Identifier 10.1109/38.946630
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1224 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 6. **Cu damascene interconnects with crystallographic texture control and its electromigration performance**
Abe, K.; Harada, Y.; Onoda, H.;
[Reliability Physics Symposium Proceedings, 1998. 36th Annual. 1998 IEEE International](#)

- ☐ **7. Controlled synthesis of differently textured Sm(Fe, Ti)₁₂ sputtered films**
Navarathna, A.; Hegde, H.; Rani, R.; Jen, S.U.; Cadieu, F.J.;
[Magnetics, IEEE Transactions on](#)
Volume 28, Issue 5, Part 2, Sep 1992 Page(s):2838 - 2840
Digital Object Identifier 10.1109/20.179644
[AbstractPlus](#) | [Full Text: PDF\(252 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **8. Micromagnetic study of anisotropy sources in textured longitudinal media**
Khanna, G.; Clemens, B.M.; Hong Zhou; Bertram, H.N.;
[Magnetics, IEEE Transactions on](#)
Volume 37, Issue 4, Part 1, July 2001 Page(s):1468 - 1470
Digital Object Identifier 10.1109/20.950873
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(90 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **9. Effect of crystallographic orientation dispersion on media thermal stability and recording characteristics**
Choe, G.; Zheng, M.; Johnson, K.E.; Lee, K.J.;
[Magnetics, IEEE Transactions on](#)
Volume 38, Issue 5, Part 1, Sept. 2002 Page(s):1955 - 1957
Digital Object Identifier 10.1109/TMAG.2002.802790
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(206 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **10. Microstructure and coercivity mechanism of highly textured Nd-Fe-B films**
Hannemann, U.; Melcher, S.; Neu, V.; Fahler, S.; Holzapfel, B.; Schultz, L.;
[Magnetics, IEEE Transactions on](#)
Volume 39, Issue 5, Part 2, Sept. 2003 Page(s):2726 - 2728
Digital Object Identifier 10.1109/TMAG.2003.815576
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(255 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **11. FePt fct-[001] texture prepared at lower temperature for perpendicular recording**
Yingfan Xu; Jingsheng Chen; Daoyang Dai; Wang, J.P.;
[Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers. 2002 IEEE International](#)
28 April-2 May 2002 Page(s):EP8
Digital Object Identifier 10.1109/INTMAG.2002.1001157
[AbstractPlus](#) | [Full Text: PDF\(224 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **12. Border detection in echocardiography images using texture analysis**
Montilla, G.; Barrios, V.; Roux, C.; Mora, F.; Passariello, G.;
[Computers in Cardiology 1992. Proceedings.](#)
11-14 Oct. 1992 Page(s):643 - 646
Digital Object Identifier 10.1109/CIC.1992.269376
[AbstractPlus](#) | [Full Text: PDF\(468 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **13. Effect of Magnetic Field Annealing Upon Co-Rich Nanowires**
Sharif, R.; Zhang, X.Q.; Shahzadi, S.; Jiang, L.X.; Han, X.-F.; Kim, Y.K.;
[Magnetics, IEEE Transactions on](#)
Volume 42, Issue 10, Oct. 2006 Page(s):2778 - 2780
Digital Object Identifier 10.1109/TMAG.2006.880459
[AbstractPlus](#) | [Full Text: PDF\(1032 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **14. Near-zero magnetostriction NiFe films deposited by ion beam sputtering**
Lo, J.; Hwang, C.; Huang, T.; Campbell, R.;
[Magnetics, IEEE Transactions on](#)

15. **Numerical switching experiments for perpendicular recording**
Stehno, M.; Schrefl, T.; Dittrich, R.; Forster, H.; Fidler, J.; Uesaka, Y.;
[Magnetics Conference, 2003. INTERMAG 2003. IEEE International](#)
28 March-3 April 2003 Page(s):AE - 10
Digital Object Identifier 10.1109/INTMAG.2003.1230299
[AbstractPlus](#) | Full Text: [PDF\(185 KB\)](#) IEEE CNF
[Rights and Permissions](#)
16. **A new vectorial hysteresis model for cube textured NiFe sheet based on a chemical reaction analogy**
Nourdine, A.; Kedous-Lebouc, A.; Meunier, G.;
[Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers. 2002 IEEE International](#)
28 April-2 May 2002 Page(s):FS1
Digital Object Identifier 10.1109/INTMAG.2002.1001344
[AbstractPlus](#) | Full Text: [PDF\(230 KB\)](#) IEEE CNF
[Rights and Permissions](#)
17. **Texture formation and magnetic properties of RF sputtered CoCrTa/Cr longitudinal thin films**
Hsu, Y.; Sivertsen, J.M.; Judy, J.H.;
[Magnetics, IEEE Transactions on](#)
Volume 26, Issue 5, Sep 1990 Page(s):1599 - 1601
Digital Object Identifier 10.1109/20.104460
[AbstractPlus](#) | Full Text: [PDF\(308 KB\)](#) IEEE JNL
[Rights and Permissions](#)
18. **The magnetic properties and microstructure of strontium ferrite films with perpendicular and in-plane magnetic anisotropy**
Ramamurthy Acharya, B.; Prasad, S.; Venkataramani, N.; Ebarra, E.N.; Suzuki, T.;
[Magnetics, IEEE Transactions on](#)
Volume 33, Issue 5, Part 2, Sept. 1997 Page(s):3640 - 3642
Digital Object Identifier 10.1109/20.619523
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(456 KB\)](#) IEEE JNL
[Rights and Permissions](#)
19. **Automated contour detection of the left ventricle in short axis view and long axis view on 2D echocardiograms**
Maes, L.; Delaere, D.; Suetens, P.; Aubert, A.; Van de Werf, F.;
[Computers in Cardiology 1990. Proceedings.](#)
23-26 Sept. 1990 Page(s):603 - 606
Digital Object Identifier 10.1109/CIC.1990.144291
[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE CNF
[Rights and Permissions](#)
20. **Improved area-based stereo matching using an image segmentation approach for 3-D facial imaging**
Mao, Z.; Naftel, A.J.;
[Image Processing and Its Applications, 1997., Sixth International Conference on](#)
Volume 2, 14-17 July 1997 Page(s):478 - 482 vol.2
[AbstractPlus](#) | Full Text: [PDF\(488 KB\)](#) IEEE CNF
21. **A cross-section TEM study of the microstructural evolution of CoPtCr/Cr thin films and the effect on magnetic properties**
Parker, M.A.; Johnson, K.E.; Hwang, C.; Bermea, A.;
[Magnetics, IEEE Transactions on](#)
Volume 27, Issue 6, Part 2, Nov 1991 Page(s):4730 - 4732
Digital Object Identifier 10.1109/20.278929
[AbstractPlus](#) | Full Text: [PDF\(364 KB\)](#) IEEE JNL
[Rights and Permissions](#)



Yu-Nu Hsu; Sangki Jeong; Lambeth, D.N.; Laughlin, D.E.;
[Magnetics, IEEE Transactions on](#)
Volume 36, Issue 5, Part 1, Sept 2000 Page(s):2945 - 2947
Digital Object Identifier 10.1109/20.908636
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(200 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)



23. Highly in-plane oriented CoCrPtB longitudinal media for 130-Gb/in/sup 2/ recording
Choe, G.; Zhou, J.N.; Demczyk, B.; Yu, M.; Zheng, M.; Weng, R.; Chekanov, A.; Johnson, K.E.;
Liu, F.; Stoev, K.;
[Magnetics, IEEE Transactions on](#)
Volume 39, Issue 2, Part 1, Mar 2003 Page(s):633 - 638
Digital Object Identifier 10.1109/TMAG.2003.808984
[AbstractPlus](#) | [Full Text: PDF\(1198 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)



24. Learning integrated perception-based speed control
Leang, P.; Bhanu, B.;
[Pattern Recognition, 2004. ICPR 2004. Proceedings of the 17th International Conference on](#)
Volume 1, 23-26 Aug. 2004 Page(s):813 - 816 Vol.1
Digital Object Identifier 10.1109/ICPR.2004.1334342
[AbstractPlus](#) | [Full Text: PDF\(317 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)



25. Penetration field studies on melt-textured YBa₂Cu₃O_{7-δ} from low field ultrasonic measurements
Li, Z.-X.; Levy, M.; Sarma, B.K.; Salem-Sugui, S., Jr.; Shi, D.; Crabtree, G.W.;
[Applied Superconductivity, IEEE Transactions on](#)
Volume 3, Issue 1, Part 4, Mar 1993 Page(s):1406 - 1408
Digital Object Identifier 10.1109/77.233635
[AbstractPlus](#) | [Full Text: PDF\(248 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)